




GTD-08CA8D inner cooling twist drills for general machining



Tax- Recommended Maximum Depth

Ordering Code	Dia.(D)	Total length (L)	Shank length (L1)	Groove length (L3)	Shank dia. (h6)	stock
GTD-0300-08CA	3.00	72	36	34	6	○
GTD-0310-08CA	3.10	72	36	34	6	○
GTD-0320-08CA	3.20	72	36	34	6	○
GTD-0330-08CA	3.30	72	36	34	6	○
GTD-0340-08CA	3.40	72	36	34	6	○
GTD-0350-08CA	3.50	72	36	34	6	○
GTD-0360-08CA	3.60	72	36	34	6	○
GTD-0370-08CA	3.70	72	36	34	6	○
GTD-0380-08CA	3.80	81	36	43	6	○
GTD-0390-08CA	3.90	81	36	43	6	○
GTD-0400-08CA	4.00	81	36	43	6	○
GTD-0410-08CA	4.10	81	36	43	6	○
GTD-0420-08CA	4.20	81	36	43	6	○
GTD-0430-08CA	4.30	81	36	43	6	○
GTD-0440-08CA	4.40	81	36	43	6	○
GTD-0450-08CA	4.50	81	36	43	6	○
GTD-0460-08CA	4.60	81	36	43	6	○
GTD-0470-08CA	4.70	81	36	43	6	○
GTD-0480-08CA	4.80	95	36	57	6	○
GTD-0490-08CA	4.90	95	36	57	6	○
GTD-0500-08CA	5.00	95	36	57	6	●
GTD-0510-08CA	5.10	95	36	57	6	○
GTD-0520-08CA	5.20	95	36	57	6	○
GTD-0530-08CA	5.30	95	36	57	6	○

Ordering Code	Dia.(D)	Total length (L)	Shank length (L1)	Groove length (L3)	Shank dia. (h6)	stock
GTD-0540-08CA	5.40	95	36	57	6	○
GTD-0550-08CA	5.50	95	36	57	6	○
GTD-0560-08CA	5.60	95	36	57	6	○
GTD-0570-08CA	5.70	95	36	57	6	○
GTD-0580-08CA	5.80	95	36	57	6	○
GTD-0590-08CA	5.90	95	36	57	6	○
GTD-0600-08CA	6.00	95	36	57	6	●
GTD-0610-08CA	6.10	114	36	76	8	○
GTD-0620-08CA	6.20	114	36	76	8	○
GTD-0630-08CA	6.30	114	36	76	8	○
GTD-0640-08CA	6.40	114	36	76	8	○
GTD-0650-08CA	6.50	114	36	76	8	○
GTD-0660-08CA	6.60	114	36	76	8	○
GTD-0670-08CA	6.70	114	36	76	8	○
GTD-0680-08CA	6.80	114	36	76	8	○
GTD-0690-08CA	6.90	114	36	76	8	○
GTD-0700-08CA	7.00	114	36	76	8	○
GTD-0710-08CA	7.10	114	36	76	8	○
GTD-0720-08CA	7.20	114	36	76	8	○
GTD-0730-08CA	7.30	114	36	76	8	○
GTD-0740-08CA	7.40	114	36	76	8	○
GTD-0750-08CA	7.50	114	36	76	8	○
GTD-0760-08CA	7.60	114	36	76	8	○
GTD-0770-08CA	7.70	114	36	76	8	○
GTD-0780-08CA	7.80	114	36	76	8	○
GTD-0790-08CA	7.90	114	36	76	8	○
GTD-0800-08CA	8.00	114	36	76	8	○
GTD-0810-08CA	8.10	142	40	95	10	○
GTD-0820-08CA	8.20	142	40	95	10	○
GTD-0830-08CA	8.30	142	40	95	10	○
GTD-0840-08CA	8.40	142	40	95	10	○
GTD-0850-08CA	8.50	142	40	95	10	○
GTD-0860-08CA	8.60	142	40	95	10	○

Ordering Code	Dia.(D)	Total length (L)	Shank length (L1)	Groove length (L3)	Shank dia. (h6)	stock
GTD-0870-08CA	8.70	142	40	95	10	○
GTD-0880-08CA	8.80	142	40	95	10	○
GTD-0890-08CA	8.90	142	40	95	10	○
GTD-0900-08CA	9.00	142	40	95	10	○
GTD-0910-08CA	9.10	142	40	95	10	○
GTD-0920-08CA	9.20	142	40	95	10	○
GTD-0930-08CA	9.30	142	40	95	10	○
GTD-0940-08CA	9.40	142	40	95	10	○
GTD-0950-08CA	9.50	142	40	95	10	○
GTD-0960-08CA	9.60	142	40	95	10	○
GTD-0970-08CA	9.70	142	40	95	10	○
GTD-0980-08CA	9.80	142	40	95	10	○
GTD-0990-08CA	9.90	142	40	95	10	○
GTD-1000-08CA	10.00	142	40	95	10	○
GTD-1010-08CA	10.10	162	45	114	12	○
GTD-1020-08CA	10.20	162	45	114	12	○
GTD-1030-08CA	10.30	162	45	114	12	○
GTD-1040-08CA	10.40	162	45	114	12	○
GTD-1050-08CA	10.50	162	45	114	12	○
GTD-1060-08CA	10.60	162	45	114	12	○
GTD-1070-08CA	10.70	162	45	114	12	○
GTD-1080-08CA	10.80	162	45	114	12	○
GTD-1090-08CA	10.90	162	45	114	12	○
GTD-1100-08CA	11.00	162	45	114	12	○
GTD-1110-08CA	11.10	162	45	114	12	○
GTD-1120-08CA	11.20	162	45	114	12	○
GTD-1130-08CA	11.30	162	45	114	12	○
GTD-1140-08CA	11.40	162	45	114	12	○
GTD-1150-08CA	11.50	162	45	114	12	○
GTD-1160-08CA	11.60	162	45	114	12	○
GTD-1170-08CA	11.70	162	45	114	12	○
GTD-1180-08CA	11.80	162	45	114	12	○
GTD-1190-08CA	11.90	162	45	114	12	○

Ordering Code	Dia.(D)	Total length (L)	Shank length (L1)	Groove length (L3)	Shank dia. (h6)	stock
GTD-1200-08CA	12.00	162	45	114	12	○
GTD-1210-08CA	12.10	182	45	133	14	○
GTD-1220-08CA	12.20	182	45	133	14	○
GTD-1230-08CA	12.30	182	45	133	14	○
GTD-1240-08CA	12.40	182	45	133	14	○
GTD-1250-08CA	12.50	182	45	133	14	○
GTD-1260-08CA	12.60	182	45	133	14	○
GTD-1270-08CA	12.70	182	45	133	14	○
GTD-1280-08CA	12.80	182	45	133	14	○
GTD-1290-08CA	12.90	182	45	133	14	○
GTD-1300-08CA	13.00	182	45	133	14	○
GTD-1310-08CA	13.10	182	45	133	14	○
GTD-1320-08CA	13.20	182	45	133	14	○
GTD-1330-08CA	13.30	182	45	133	14	○
GTD-1340-08CA	13.40	182	45	133	14	○
GTD-1350-08CA	13.50	182	45	133	14	○
GTD-1360-08CA	13.60	182	45	133	14	○
GTD-1370-08CA	13.70	182	45	133	14	○
GTD-1380-08CA	13.80	182	45	133	14	○
GTD-1390-08CA	13.90	182	45	133	14	○
GTD-1400-08CA	14.00	182	45	133	14	○
GTD-1410-08CA	14.10	203	48	152	16	○
GTD-1420-08CA	14.20	203	48	152	16	○
GTD-1430-08CA	14.30	203	48	152	16	○
GTD-1440-08CA	14.40	203	48	152	16	○
GTD-1450-08CA	14.50	203	48	152	16	○
GTD-1460-08CA	14.60	203	48	152	16	○
GTD-1470-08CA	14.70	203	48	152	16	○
GTD-1480-08CA	14.80	203	48	152	16	○
GTD-1490-08CA	14.90	203	48	152	16	○
GTD-1500-08CA	15.00	203	48	152	16	○
GTD-1510-08CA	15.10	203	48	152	16	○
GTD-1520-08CA	15.20	203	48	152	16	○

Ordering Code	Dia.(D)	Total length (L)	Shank length (L1)	Groove length (L3)	Shank dia. (h6)	stock
GTD-1530-08CA	15.30	203	48	152	16	○
GTD-1540-08CA	15.40	203	48	152	16	○
GTD-1550-08CA	15.50	203	48	152	16	○
GTD-1560-08CA	15.60	203	48	152	16	○
GTD-1570-08CA	15.70	203	48	152	16	○
GTD-1580-08CA	15.80	203	48	152	16	○
GTD-1590-08CA	15.90	203	48	152	16	○
GTD-1600-08CA	16.00	203	48	152	16	○

unit(mm)

Note: accept non-standard customization from D3 to D16.

Nominal size range	D(m7)	d(h6)
>3—6	+0.004/+0.016	0.000/-0.008
>6—10	+0.006/+0.021	0.000/-0.009
>10—16	+0.007/+0.025	0.000/-0.011

unit(mm)